GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Servants - Panchayat Raj and Rural Development Department – Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-Division, Jammalamadugu, YSR Kadapa District - Departmental proceedings initiated under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of Charges – Issued.

==========

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.II) DEPARTMENT

G.O.RT.No. 517 **Dated: 16-05-2018**

ORDER:

It is proposed to hold an inquiry against Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-Division, Jammalamadugu, YSR Kadapa District in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A statement of the imputations of misconduct or misbehaviour in support of each article of charge is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed (Annexure-III and IV).

3. Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-Division, Jammalamadugu, YSR Kadapa District is directed to submit his written statement of defence within ten (10) days of the receipt of this order.

4. Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-Division, Jammalamadugu, YSR Kadapa District is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-Division, Jammalamadugu, YSR Kadapa District is further informed that if he does not submit his Written Statement of Defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 or the order/directions issued in pursuance of the said rules, the Inquiry Authority may hold the inquiry against him ex-parte, based on the material available on record.

6. Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-Division, Jammalamadugu, YSR Kadapa District is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-

(p.t.o.)

Division, Jammalamadugu, YSR Kadapa District is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of this G.O. shall be acknowledged forthwith.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

DR. K.S. JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-Division, Jammalamadugu, YSR Kadapa District **through** the Engineer-in-Chief, Panchayat Raj, Andhra Pradesh, Vijayawada.
The Engineer-in-Chief, Panchayat Raj, Andhra Pradesh, Vijayawada (with a request to serve and return the acknowledged copy and Written Statement of Defense).

Copy to:
The Genl. Admn. (Vigilance & Enforcement) Department, Administrative block, 2nd floor, Pandit Nehru Bus Station, Vijayawada.
The Secretary, Andhra Pradesh Vigilance Commission, 5th Block, first floor, Sectt., Buildings, Velagapudi, Guntur Dist.
The Panchayat Raj & Rural Development (Estt.I) Department.
S.f./S.c.

//FORWARDED BY ORDER//

SECTION OFFICER

ANNEXURE -I

STATEMENT SHOWING THE ARTICLE OF CHARGES FRAMED AGAINST SRI P.VENKATA RAO, DEPUTY EXECUTIVE ENGINEER, V&QC SUB DIVISION, KADAPA, Y.S.R. KADAPA DISTRICT AND THE THEN DEPUTY EXECUTIVE ENGINEER, PRI SUB-DIVISION, JAMMALAMADUGU, YSR KADAPA DISTRICT

CHARGE:-

That Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-Division, Jammalamadugu, YSR Kadapa District has committed grave irregularities in execution of project for Comprehensive development of SC/ST Colonies under MGNREGS in YSR District for "Providing internal roads with CC drains in Kondapuram SC colony of Kondapuram (M)" in YSR Kadapa Dist., and caused loss to the Government exchequer to a tune of Rs. 13,30,718/-., in as much as he:-

i. Allowed laying of CC pavement without obtaining mix design report and approval from the competent authority.
ii. Check measured the measurements and recommended for payment without ascertaining the quality of CC pavement resulting in substandard quality of work, worth Rs.13,30,718/-, thereby causing loss to the Government.

Thus, Sri P.Venkata Rao, Deputy Executive Engineer, V&QC Sub Division, Kadapa, Y.S.R. Kadapa District and the then Deputy Executive Engineer, PRI Sub-Division, Jammalamadugu, YSR Kadapa District by his above mentioned acts, has exhibited lack of integrity, not shown devotion to duty and exhibited conduct unbecoming of a Government Servant, in contravention of Rule - 3 of Andhra Pradesh Civil Services (Conduct) Rules, 1964.

DR. K.S. JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE –II

STATEMENT OF IMPUTATIONS OF MISCONDUCT OR MISBEHAVIOUR IN SUPPORT OF ARTICLE OF CHARGE FRAMED AGAINST SRI P.VENKATA RAO, DEPUTY EXECUTIVE ENGINEER, V&QC SUB DIVISION, KADAPA, Y.S.R. KADAPA DISTRICT AND THE THEN DEPUTY EXECUTIVE ENGINEER, PRI SUB-DIVISION, JAMMALAMADUGU, YSR KADAPA DISTRICT

The V&E Department has inspected the work "Providing CC Roads with CC Drains in Kondapuram SC colony of Kondapuram (M)" YSR Kadapa Dist." and furnished their report in Vigilance Report No.29 (40-8/V&E/E/2015), dated:05.05.2017. They have reported the following irregularities observed during their inspection:-

i. Sub grade soil exploration was not conducted and the crust of the pavement was neither designed nor approved. The 125mm thickness of CC pavement provided in the approved estimate is insufficient as per table 5 of IRC SP 62 – 2004, but sub base thickness provided is more than the required.

ii. Gravel Shoulders of 0.75m width provided on both sides of carriage way were not executed, resulting in roadway of 3.00m and crossing of the vehicles is impossible.

iii. The CC pavement was laid without obtaining the mix design report from agency and without obtaining approval from the competent authority.

iv. The compressive strength of CC pavement and CC drain was tested by extracting 21 CC cores from hardened concrete and found that the strength obtained is not satisfying the strength requirement as per clause 17.4.3 of IS 456-2000. The rejected value of CC Pavement and CC drain due to substandard quality is Rs.13,30,718/-. Relaying of rejected CC pavement and CC drain should be made with the cost of the then Sarpanch, Kondapuram Gram Panchayat of Kondapuram Mandal.

v. The work was not completed in all respects as on 19.12.2016 and there was a huge unspent balance in the sanctioned estimate. No action was initiated by the field staff to complete the work in full shape.

Sri P. Venkata Rao, the then Deputy Executive Engineer, PRI, Jammalamadugu is responsible for the above irregularities.

Thus, the above Government servant has failed to discharge his legitimate duties properly and acted for his personal gain and caused loss to the Government, to a tune of Rs.13,30,718/- in contravention of APCS (Conduct) Rules, 1964.

Hence, the charge.

DR. K.S. JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE -III

LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGES FRAMED AGAINST SRI P.VENKATA RAO, DEE., V&QC., SD., KADAPA, YSR KADAPA DIST. AND THE THEN DEE., PRI SD., JAMMALAMADUGU, YSR KADAPA DIST. ARE PROPOSED TO BE SUSTAINED.

Vigilance Report No.29 (C.No.40-8/V&E/E/2015) dated:05.05.2017

DR. K.S. JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE-IV

LIST OF WITNESSESS BY WHOM THE ARTICLE OF CHARGES FRAMED AGAINST SRI P.VENKATA RAO, DEE., V&QC., SD., KADAPA, YSR KADAPA DIST. AND THE THEN DEE., PRI SD., JAMMALAMADUGU, YSR KADAPA DIST. ARE PROPOSED TO BE SUSTAINED

NIL

DR. K.S. JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER